References:

Akkermans A.D.L. **(1994),** Application of bacteria in soils: problems and pitfalls. *FEMS Microbiol. Rev.*, 15, 185-194.

Altschul S.F., Madden T.L., Schaffer A.A., Zhang J., Zhang Z., Miller W. and Lipman D.J. **(1997),** Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.*, **25,** 3389.

Apostolico A. and Giancarlo R. **(1998),** Sequence alignment in molecular biology. *J. Computer Biol.*, **5,** 173.

Appelbaum E. **(2018),** The *Rhizobium*/*Bradyrhizobium*-legume symbiosis. In: *Molecular Biology of Symbiotic Nitrogen Fixation.* CRC Press. pp. 131-158.

Barrios S., Ouattara B.. and Strobl E. **(2008),** The impact of climatic change on agricultural production: Is it different for Africa? *Food policy,* **33(4),** 287–298.

Battey J.N., Kopp J., Bordoli L., Read R.J., Clarke N.D. and Schwede T. **(2007),** Automated server predictions in CASP7. *Proteins **69,*** 68–82.

Benson D.A., Karsch-Mizrachi I., Lipman D.J., Ostell J. and Sayers E.W. **(2010),** GenBank. *Nucleic Acids Res.*, **38,** D46–D51.

Berman H., Henrick K., Nakamura H. and Markley J.L. **(2007),** The worldwide Protein Data Bank (wwPDB): ensuring a single, uniform archive of PDB data. *Nucleic Acids Res.*, **35,** D301–D303.

Boguski M.S., Lowe T.M. and Tolstoshev C.M. **(1993),** dbEST–database for "expressed sequence tags". *Nature Genet.*, **4,** 332–333.

Bohlool B.B., Ladha J.K., Garrity D.P. and George T. **(1992),** Biological nitrogen fixation for sustainable agriculture: A perspective. *Plant Soil,* **141,** 1-11.

Bordoli J.L., Battey J.N., Kiefer F. and Schwede T. **(2007),** Assessment of CASP7 predictions for template-based modeling targets. *Proteins **69,*** 38–56.

Bowie J.U., Luthy R. and Eisenberg D. **(1991),** A method to identify protein sequences that fold into a known three-dimensional structure. *Science,* **253,** 164.

Brenner S.E., Chothia C. and Hubbard T.J. **(1998),** Assessing sequence comparison methods with reliable structurally identified distant evolutionary relationships. *Proc. Nat. Acad. Sci., USA,* **95,** 6073.

Brewin N.J. **(1991),** Development of the legume root nodule. *Annu. Rev. Cell Biol.,* **7,** 191-226.

Broughten W.J., Jabbouri S. and Perret X. **(2000),** Keys to symbiotic harmony. *J. Bacteriol.* **182,** 5641-5652.

Burris R. H. and Roberts G. P. **(1993),** Biological nitrogen fixation. *Annu. Rev. Nutr*., **13,** 317-335.

Callaham D.A. and Torrey J.G. **(1981),** The structural basis for infection of root hairs of *Trifolium repens* by *Rhizobium*. *Can. J. Bot.,* **59,** 1647-1664.

Chen C., Lower R., Fletcher A., Oliver I., Robertson M., Bell M. and Wang E. **(2016),** How well can APSIM simulate nitrogen uptake and nitrogen fixation of legume crops? *Field Crop Res.,* **187,** 35-48.

Chothia C. and Lesk A.M. **(1986),** The relation between the divergence of sequence and structure in proteins. *EMBO J.*, **5,** 823.

Chothia C., Gough J., Vogel C. and Teichmann S.A. **(2003),** Evolution of the protein repertoire. *Science,* **300,** 1701.

Clair S.B. and Lynch J.P. **(2010),** The opening of Pandora's Box: climate change impacts on soil fertility and crop nutrition in developing countries. *Plant Soil,* **335(1-2),** 101–115.

Damodara C.K., Reddy S.R., Triveni S., Trimurtulu N., Durga R.V. and Sreedhar M. **(2018),** Screening and characterization of stress tolerant rhizobia from different soils of Telangana. *Intern. J. Microbiol. Res.,* **10(3),** 1038-1042.

Defez R., Andreozzi A., Dickinson M., Charlton A., Tadini L., Pesaresi P. and Bianco C. **(2017),** Improved drought stress response in alfalfa plants nodulated by an IAA over-producing *Rhizobium* strain. *Front. Microbiol.,* 8, 2466-2473.

Denarie J., Debelle F. and Prome J.C. **(1996),** *Rhizobium* lipo-chitooligosaccharide nodulation factors: Signalling molecules mediating recognition and morphogenesis. *Annu. Rev. Biochem.,* **65,** 503-535.

Denarie J., Debelle F. and Rosenberg C. **(1992),** Signaling and host range variation in nodulation. *Annu. Rev. Microbiol.,* **46(1),** 497-531.

Divito G.A. and Sadras V.O. **(2014),** How do phosphorus, potassium and sulphur affect plant growth and biological nitrogen fixation in crop and pasture legumes? A meta-analysis. *Field Crop Res.,* **156,** 161–71.

Downie J.A. **(1994),** Signalling strategies for nodulation of legumes by rhizobia. *Trends Microbiol.,* **2(9),** 318-324

Dudley M.E., Jacob T.H. and Long S.R. **(1987),** Microscopic studies of cell divisions induced in alfalfa roots by *Rhizobium meliloti. Planta,* **171,** 289-301.

Eaglesham A.R.J. **(1989),** Global importance of *Rhizobium* as an inoculant. **In:** *Microbial Inoculation of Crop Plants,* Chapter 3. (Campbell, R. and Macdonald, R., eds.). Oxford University Press, Oxford.

Edgar R.C. and Batzoglou S. **(2006),** Multiple sequence alignment. *Curr. Opinion Struct. Biol.,* **16,** 368–373.

Edgar R.C. and Sjolander K. **(2004),** COACH: profile–profile alignment of protein families using hidden Markov models. *Bioinformatics,* **20,** 1309.

Edgar R.C. and Sjolander K. **(2003)**, SATCHMO: sequence alignment and tree construction using hidden Markov models. *Bioinformatics,* **19,** 1404.

Elkan G.H. **(1992),** Biological nitrogen fixation systems in tropical ecosystems: An overview. In: *Biological nitrogen fixation and sustainability of tropical agriculture.* (Mulongoy K., Gueye M. and Spencer D.S.C., eds.). John Wiley and Sons, Chichester, U.K. pp. 27-40.

Felsenstein J. **(1981),** Evolutionary trees from DNA sequences: a maximum likelihood approach. *J. Mol.Biol.,* **17,** 368.

Fernandez-Fuentes N., Rai B.K., Madrid-Aliste C.J., Fajardo J.E. and Fiser A. **(2007),** Comparative protein structure modeling by combining multiple templates and optimizing sequence-to-structure alignments. *Bioinformatics,* **23,** 2558–2565.

Figueiredo M.V.B., Burity H.A., Martínez C.R. and Chanway C.P. **(2008),** Alleviation of drought stress in the common bean (*Phaseolus vulgaris* L.) by coinoculation with *Paenibacillus polymyxa* and *Rhizobium tropici*. *Appl. Soil. Ecol.,* **40,** 182–188.

Fiser A. **(2004),** Protein structure modeling in the proteomics era. *Expert Rev. Proteom.,* **1,** 97–110.

Fiser A. and Sali A. **(2003),** Modeller: generation and refinement of homology-based protein structure models. *Methods Enzymol.,* **374,** 461.

Greene L.H., Lewis T.E., Addou S., Cuff A., Dallman T., Dibley M., Redfern O., Pearl F., Nambudiry R. and Reid A. et al. **(2007),** The CATH domain structure database: new protocols and classification levels give a more comprehensive resource for exploring evolution. *Nucleic Acids Res.*, **35,** D291–D297.

Grover M., Ali S.Z., Sandhya V., Rasul A. and Venkateswarlu B. **(2011),** Role of microorganisms in adaptation of agriculture crops to abiotic stresses. *World J. Microbiol. Biotechnol.*, **27(5),** 1231–1240.

Hanin M., Jabbouri S., Broughten W.J., Fallay R. and Quesada-Vincens D. **(1999),** Molecular aspects of host specific nodulation. In: *Plant Microbe Interactions,* Vol. 4 (Stacey G. and Keen N.T., eds.). APS Press, St. Paul, Minnesota, pp. 1-37.

Ishizuka J. **(1992),** Trends in biological nitrogen fixation research and application. *Plant Soil*, **141,** 197-209.

Jaroszewski L., Rychlewski L., Li Z., Li W. and Godzik A. **(2005),** FFAS03: a server for profile–profile sequence alignments. *Nucleic Acids Res.*, **33,** W284–W288.

Jaroszewski L., Rychlewski L., Zhang B. and Godzik A. **(1998),** Fold prediction by a hierarchy of sequence, threading, and modeling methods. *Protein Sci.***, 7,** 1431.

John B. and Sali A. **(2004),** Detection of homologous proteins by an intermediate sequence search. *Protein Sci.*, **13,** 54.

Jones D.T. **(1999),** GenTHREADER: an efficient and reliable protein folds recognition method for genomic sequences. *J. Mol. Biol.*, **287,** 797.

Kamst E., Pilling J., Raamsdonk L.M., Lugtenberg B.J.J. and Spaink H.P. **(1997),** *Rhizobium* nodulation protein Nod C is an important determinant of chitin oligosaccharide chain length in Nod factor biosynthesis. *J. Bacteriol.* **179(7),** 2103–2108.

Karchin R., Cline M., Mandel-Gutfreund Y. and Karplus K. **(2003),** Hidden Markov models that use predicted local structure for fold recognition: alphabets of backbone geometry. *Proteins,* **51,** 504.

Karplus K., Barrett C. and Hughey R. **(1998),** Hidden Markov models for detecting remote protein homologies. *Bioinformatics,* **14,** 846.

Kijne J.W., Smith G., Diaz C.L. and Lugtenberg B.J.J. **(1988),** Lectin-enhanced accumulation of manganese-limited *Rhizobium leguminosarum* cells on pea root hair tips. *J. Bacteriol.*, **170,** 2994-3000.

Krogh A., Brown M., Mian I.S., Sjolander K. and Haussler D. **(1994),** Hidden Markov models in computational biology. Applications to protein modeling. *J. Mol.Biol.***, 235,** 1501.

Kucey R.M. and Hynes M.F. **(1989),** Populations of *Rhizobium leguminosarum* biovars *phaseoli* and *viceae* in fields after bean or pea in rotation with nonlegumes. *Can. J. Microbiol.*, **35(6),** 661-667.

Kulikova T., Akhtar R., Aldebert P., Althorpe N., Andersson M., Baldwin A., Bates K., Bhattacharyya S., Bower L. and Browne P. et al. (2007), EMBL nucleotide sequence database in 2006. *Nucleic Acids Res.*, **35,** D16–D20.

Lerouge P., Roche P., Faucher C., Maillet F., Truchet G., Prome J.C. and Denarie J. **(1990),** Symbiotic host-specificity of *Rhizobium meliloti* is determined by a sulphated and acylated glucosamine oligosaccharide signal. *Nature*, **344,** 781-784.

Lesk A.M. and Chothia C. **(1980),** How different amino acid sequences determine similar protein structures: the structure and evolutionary dynamics of the globins. *J. Mol. Biol.*, **136,** 225.

Long S.R. **(1996),** *Rhizobium* symbiosis: Nod factors in perspective. *Plant Cell,* **8,** 1885-1898.

Marti-Renom M.A., Stuart A.C., Fiser A., Sanchez R., Melo F. and Sali A. **(2000),** Comparative protein structure modeling of genes and genomes. *Annu. Rev. Biophys. Biomol. Struct.,* **29,** 291.

Mayak S., Tirosh T. and Glick B.R. **(2004),** Plant growth-promoting bacteria confer resistance in tomato plants to salt stress. *Plant Physiol. Biochem.,* **42,** 565–572.

Meher P.K., Sahu T.K., Mohanty J., Gahoi S., Purru S., Grover M. and Rao A.R. **(2018),** nifPred: proteome-wide identification and categorization of nitrogen fixation proteins of diazotrophs based on composition-transition-distribution features using support vector machine. *Front. Microbiol.* **9:1100,** 1-16. doi: 10.3389/fmicb.2018.01100

Newbould P. **(1989),** The use of nitrogen fertilizer in agriculture: where do we go practically and ecologically? *Plant Soil,* **115,** 297–311.

Notredame C. **(2007),** Recent evolutions of multiple sequence alignment algorithms. *PLoS Computer Biol.*, **3,** e123.

Pearson W.R. **(2000),** Flexible sequence similarity searching with the FASTA3 program package. *Methods Mol. Biol.,* **132,** 185.

Perret X, Staehelin C and Broughton W.J. **(2000),** Molecular basis of symbiotic promiscuity. *Microbiol. Mol. Biol.Rev.,* **64(1),** 180-201.

Persson T., Battenberg K., Demina I.V., Vigil-Stenman T., Heuvel B.V., Pujic P., Facciotti M.T., et al., **(2015),** *Candidatus Frankia Datiscae* Dg1, the actinobacterial microsymbiont of *Datisca glomerata*, expresses the canonical *nod* genes *nod*ABC in symbiosis with its host plant. **PLOS one** 10(5): e0127630. doi:10.1371/journal.pone.0127630. pp. 1-33.

Plá C.L. and Cobos-Porra L. **(2015),** Salinity: Physiological impacts on legume nitrogen fixation. In: *Legume Nitrogen Fixation in a Changing Environment* (Sulieman S.L. and Tran S.P., eds.), DOI: 10.1007/978-3-319-06212-9_3, pp. 35-65.

Pladys D., Dmitrijevic L. and Rigaud J **(1991),** Localization of a protease in protoplast preparations in infected cells of French bean nodules. *Plant Physiol.,* **97,** 1174-1180.

Rai B.K., Madrid-Aliste C.J., Fajardo J.E. and Fiser A. **(2006),** MMM: a sequence-to-structure alignment protocol. *Bioinformatics,* **22,** 2691–2692.

Roth L.E. and Stacey G. **(1989a),** Bacterium release into host cells of nitrogen-fixing nodules: The symbiosome membrane comes from three sources. *Eur. J. Cell Biol.,* **49,** 13-23.

Roth L.E. and Stacey G. **(1989b),** Cytoplasmic membrane systems involved in bacterium release into soybean nodule cells as studied with two *Bradyrhizobium japonicum* mutant strains. *Eur. J. Cell Biol.,* 49, 24-32.

Rychlewski L., Jaroszewski L., Li W. and Godzik A. **(2000),** Comparison of sequence profiles. Strategies for structural predictions using sequence information. *Protein Sci.*, **9,** 232.

Sauder J.M., Arthur J.W. and Dunbrack R.L. Jr. **(2000),** Large-scale comparison of protein sequence alignment algorithms with structure alignments. *Proteins,* **40,** 6.

Sayers E.W., Barrett T., Benson D.A., Bryant S.H., Canese K., Chetvernin V., Church D.M., Dicuccio M., Edgar R. and Federhen S. et al. **(2010),** Database resources of the National Center for Biotechnology Information. *Nucleic Acids Res.,* **38,** D5–D16.

Schaffer A.A., Aravind L., Madden T.L., Shavirin S., Spouge J.L., Wolf Y.I., Koonin E.V. and Altschul S.F. **(2001),** Improving the accuracy of PSI-BLAST protein database

searches with composition-based statistics and other refinements. *Nucleic Acids Res.*, **29,** 2994.

Sindhu S.S. and Dadarwal K.R. **(2000),** Competition for nodulation among rhizobia in legume-*Rhizobium* symbiosis. *Indian J. Microbiol.,* **40(4),** 211-246.

Sindhu S.S. and Dadarwal K.R. **(2001),** Genetic manipulation of rhizobia to improve nodulation and nitrogen fixation in legumes. In: *Recent Advances in Biofertilizer Technology.* (Yadav A.K., Motsara M.R., Ray Choudhary S., eds.). Society for promotion and utilization of resources and technology, New Delhi. pp. 1-97.

Smith S.R. and Giller K.E. **(1992),** Effective *Rhizobium leguminosarum* biovar *trifolii* present in five soils contaminated with heavy metals from long-term applications of sewage sludge or metal mine spoil. *Soil Biol. Biochem.*, **24(8),** 781–788.

Sugawara H., Ogasawara O., Okubo K., Gojobori T. and Tateno Y. **(2008),** DDBJ with new system and face. *Nucleic Acids Res.*, **36,** D22–D24.

Talebi R., Ensafi M.H., Baghebani N., Karami E. and Mohammadi K. **(2013),** Physiological responses of chickpea (*Cicer arietinum*) genotypes to drought stress. *Environ. Expt. Biol.,* **11**, 9-15.

van Veen J.A., van Overbeek L.S. and van Elsas J.D. **(1997),** Fate and activity of microorganisms introduced into soil. *Microbiol. Mol. Biol. Rev.*, **61,** 121–135.

Vasse J., de Billy F., Camut S. and Truchet G. **(1990),** Correlation between ultrastructural differentiation of bacteroids and nitrogen fixation in alfalfa nodules. *J. Bacteriol.*, **172,** 4295–4306.

Verma J.P., Yadav J., Tiwari K.N. and Kumar A. **(2013),** Effect of indigenous *Mesorhizobium* spp. and plant growth promoting rhizobacteria on yields and nutrients uptake of chickpea (*Cicer arietinum* L.) under sustainable agriculture. *Ecol. Engin.*, **51,** 282–286.

Wadhwa Z., Srivastava V., Rani R., Tanvi, Makkar K. and Jangra S. **(2017),** Isolation and characterization of *Rhizobium* from Chickpea (*Cicer arietinum*). *Intern. J. Curr. Microbiol. Appl. Sci.,* 6(11), 2880-2893.

Wang Y., Addess K.J., Chen J., Geer L.Y., He J., He S., Lu S., Madej T., Marchler-Bauer A. and Thiessen P.A. et al. **(2007),** MMDB: annotating protein sequences with Entrez's; 3D-structure database. *Nucleic Acids Res.*, **35,** D298–D300.

Wani S.P., Rupela O.P. and Lee K.K. **(1995),** Sustainable agriculture in the semi-arid tropics through biological nitrogen fixation in grain legumes. *Plant Soil,* **174,** 29–49.

Werner D. **(2005),** Production and biological nitrogen fixation of tropical legumes. In: *Nitrogen fixation in agriculture, forestry, ecology and the environment.* Springer, Dordrecht. pp. 1–13.

Yong T., Chen P., Dong Q., Qing D.U., Yang F., Wang X., Liu W. and Yang W. **(2018),** Optimized nitrogen application methods to improve nitrogen use effciency and nodule nitrogen fixation in a maize-soybean relay intercropping system. *J. Integr. Agric.*, **7(3),** 664–676.

Young J.P.W. and Johnston A.W.B. **(1989),** The evolution of specificity in the legume-*Rhizobium* symbiosis. *Trends Ecol. Evol.*, **4,** 341-349.

Zahran H.H. **(1999),** *Rhizobium*-legume symbiosis and nitrogen fixation under severe conditions and in an arid climate. *Microbiol. Mol. Bio. Rev.*, **63(4),** 968–989.

Zhang Y. **(2007),** Template-based modeling and free modeling by I-TASSER in CASP7. *Proteins* **69,** 108–117.